

2017 Specifications

Pontoon Length.....	13'11"
Deck Size.....	7'6" x 13'2"
Overall Length.....	14'10"
Length Inside Rails.....	9'0"
Overall Width.....	91"
Pontoon Diameter.....	23"
Pontoon Wall Thickness.....	.080"
Maximum Horsepower.....	30 HP
Maximum Weight Capacity.....	1,335 lbs.
Maximum Person Capacity.....	6/900 lbs.
Approximate Dry Weight.....	1,050 lbs.
Tube Center to Tube Center.....	67"
Inside of Tube to Inside of Tube.....	44"

7514 SP

HELM

- Fiberglass Helm with Molded Kick Panel
- Deluxe 5-Switch Panel with Harness
- Stainless Steel Steering Wheel
- Windshield with Quick Release Hardware

INTERIOR


- (2) Front Folding Fishing Seats with Removable Pedestals
- Front Rod/Cup Holder Assemblies
- 22" Rear Port Bench with LIVEWELL in Base
- Radius Corner Bench
- Bucket Style Captains' Seat on Adjustable Sliding Pedestal
- Soft Touch X-Panded Back Vinyls
- Plastic Seat Bases with Custom Floor Matting
- Ultra-Flow Seat Ventilation

EXTERIOR

- Rigid Dent Resistant Panels
- 23" Diameter pontoons with Full Length Keel
- 7.5' x 7' Bimini Top with Storage Boot
- Robust Aluminum Rear Entry Ladder
- LED Navigation Lights
- Mooring Cleats
- Durable Vinyl Floor
- Composite Rail Spacers
- Anodized Rails and Rub Rail
- Deluxe 3-D Style Graphics
- Quick Release Aluminum Bimini Hardware
- Bimini Fabric with 5 Year Warranty
- Deutsch Waterproof Wiring Connectors
- Heavy Duty Gate Latches and Pinch Protectors
- Lifetime Warranty Treated Plywood Decking

POPULAR OPTIONS

- Playpen Cover or Seat Covers
- Humminbird 197c Color Fish Finder
- Prospec Mini Stereo
- Docking Lights
- LED Courtesy Light in Helm
- ½ Gate with Plug
- Vinyl Weave Flooring



2017 Specifications

Pontoon Length.....	13'11"
Deck Size.....	7'6" x 13'2"
Overall Length.....	14'10"
Length Inside Rails.....	9'0"
Overall Width.....	91"
Pontoon Diameter.....	23"
Pontoon Wall Thickness.....	.080"
Maximum Horsepower.....	30 HP
Maximum Weight Capacity.....	1,335 lbs.
Maximum Person Capacity.....	6/900 lbs.
Approximate Dry Weight.....	1,050 lbs.
Tube Center to Tube Center.....	67"
Inside of Tube to Inside of Tube.....	44"

7514 CR

HELM

- Fiberglass Helm with Molded Kick Panel
- Deluxe 5-Switch Panel with Harness
- Stainless Steel Steering Wheel
- Windshield with Quick Release Hardware

INTERIOR


- 31" Front Bench Seats with Arms
- 22" Rear Port Bench
- Radius Corner Bench
- Bucket Style Captains' Seat on Adjustable Sliding Pedestal
- Soft Touch X-Panded Back Vinyls
- Plastic Seat Bases with Custom Floor Matting
- Round Table with Flush Mount Pedestal
- Ultra-Flow Seat Ventilation

EXTERIOR

- Rigid Dent Resistant Panels
- 23" Diameter pontoons with Full Length Keel
- 7.5' x 7' Bimini Top with Storage Boot
- Robust Aluminum Rear Entry Ladder
- LED Navigation Lights
- Mooring Cleats
- Durable Vinyl Floor
- Composite Rail Spacers
- Anodized Rails and Rub Rail
- Deluxe 3-D Style Graphics
- Quick Release Aluminum Bimini Hardware
- Bimini Fabric with 5 Year Warranty
- Deutsch Waterproof Wiring Connectors
- Heavy Duty Gate Latches and Pinch Protectors
- Lifetime Warranty Treated Plywood Decking

POPULAR OPTIONS

- Playpen Cover or Seat Covers
- Prospec Mini Stereo
- Infinity Stereo System
- Docking Lights
- LED Courtesy Light in Helm
- Vinyl Weave Flooring



2017 Specifications

Pontoon Length.....	15'11"
Deck Size.....	7'6" x 15'2"
Overall Length.....	16'10"
Length Inside Rails.....	11'1"
Overall Width.....	91"
Pontoon Diameter.....	23"
Pontoon Wall Thickness.....	.080"
Maximum Horsepower.....	50 HP
Maximum Weight Capacity.....	1,565 lbs.
Maximum Person Capacity.....	7/1,020 lbs.
Approximate Dry Weight.....	1,250 lbs.
Tube Center to Tube Center.....	67"
Inside of Tube to Inside of Tube.....	44"

7516 SP

HELM

- Fiberglass Helm with Molded Kick Panel
- Deluxe 5-Switch Panel with Harness
- Stainless Steel Steering Wheel
- Windshield with Quick Release Hardware

INTERIOR


- (2) Front Folding Fishing Seats with Removable Pedestals
- Front Rod/Cup Holder Assemblies
- 39" Rear Port Bench with LIVEWELL in Base
- Radius Corner Bench
- Bucket Style Captains' Seat on Adjustable Sliding Pedestal
- Soft Touch X-Panded Back Vinyls
- Plastic Seat Bases with Custom Floor Matting
- Ultra-Flow Seat Ventilation

EXTERIOR

- Rigid Dent Resistant Panels
- 23" Diameter pontoons with Full Length Keel
- 7.5' x 7' Bimini Top with Storage Boot
- Robust Aluminum Rear Entry Ladder
- LED Navigation Lights
- Mooring Cleats
- Durable Vinyl Floor
- Composite Rail Spacers
- Anodized Rails and Rub Rail
- Deluxe 3-D Style Graphics
- Quick Release Aluminum Bimini Hardware
- Bimini Fabric with 5 Year Warranty
- Deutsch Waterproof Wiring Connectors
- Heavy Duty Gate Latches and Pinch Protectors
- Lifetime Warranty Treated Plywood Decking

POPULAR OPTIONS

- Playpen Cover or Seat Covers
- Humminbird 197c Color Fish Finder
- Prospec Mini Stereo
- Docking Lights
- LED Courtesy Light in Helm
- ½ Gate with Plug
- Vinyl Weave Flooring
- Starboard Side Gate



2017 Specifications

Pontoon Length.....	15'11"
Deck Size.....	7'6" x 15'2"
Overall Length.....	16'10"
Length Inside Rails.....	11'1"
Overall Width.....	91"
Pontoon Diameter.....	23"
Pontoon Wall Thickness.....	.080"
Maximum Horsepower.....	50 HP
Maximum Weight Capacity.....	1,565 lbs.
Maximum Person Capacity.....	7/1,020 lbs.
Approximate Dry Weight.....	1,250 lbs.
Tube Center to Tube Center.....	67"
Inside of Tube to Inside of Tube.....	44"

7516 CR

HELM

- Fiberglass Helm with Molded Kick Panel
- Deluxe 5-Switch Panel with Harness
- Stainless Steel Steering Wheel
- Windshield with Quick Release Hardware

INTERIOR

- 31" Front Bench Seats with Arms
- 39" Rear Port Bench
- Radius Corner Bench
- Bucket Style Captains' Seat on Adjustable Sliding Pedestal
- Soft Touch X-Panded Back Vinyls
- Plastic Seat Bases with Custom Floor Matting
- Round Table with Flush Mount Pedestal
- Ultra-Flow Seat Ventilation

EXTERIOR


- Rigid Dent Resistant Panels
- 23" Diameter Pontoons with Full Length Keel
- 7.5' x 7' Bimini Top with Storage Boot
- Robust Aluminum Rear Entry Ladder
- LED Navigation Lights
- Mooring Cleats
- Durable Vinyl Floor
- Composite Rail Spacers
- Anodized Rails and Rub Rail
- Deluxe 3-D Style Graphics
- Quick Release Aluminum Bimini Hardware
- Bimini Fabric with 5 Year Warranty
- Deutsch Waterproof Wiring Connectors
- Heavy Duty Gate Latches and Pinch Protectors
- Lifetime Warranty Treated Plywood Decking

POPULAR OPTIONS

- Playpen Cover or Seat Covers
- Prospec Mini Stereo
- Infinity Stereo System
- Docking Lights
- LED Courtesy Light in Helm
- Vinyl Weave Flooring
- Extended Starboard Bench with Layback

Apex Marine

300 Woodside Drive Saint Louis MI 48880
www.qwestpontoons.com



7516 SC

HELM

- Fiberglass Helm with Molded Kick Panel
- Deluxe 5-Switch Panel with Harness
- Stainless Steel Steering Wheel
- Windshield with Quick Release Hardware

INTERIOR

- (2) Front Folding Fishing Seats with Removable Pedestals
- 31" Front Bench Seats with Arms
- LIVEWELL in Front Port Bench Seat Base
- 22" Rear Port Bench
- Radius Corner Bench
- Bucket Style Captains' Seat on Adjustable Sliding Pedestal
- Soft Touch X-Panded Back Vinyls
- Plastic Seat Bases with Custom Floor Matting
- Round Table with Flush Mount Pedestal
- Ultra-Flow Seat Ventilation

EXTERIOR

- Rigid Dent Resistant Panels
- 23" Diameter Pontoons with Full Length Keel
- 7.5' x 7' Bimini Top with Storage Boot
- Robust Aluminum Rear Entry Ladder
- LED Navigation Lights
- Mooring Cleats
- Durable Vinyl Floor
- Composite Rail Spacers
- Anodized Rails and Rub Rail
- Deluxe 3-D Style Graphics
- Quick Release Aluminum Bimini Hardware
- Bimini Fabric with 5 Year Warranty
- Deutsch Waterproof Wiring Connectors
- Heavy Duty Gate Latches and Pinch Protectors
- Lifetime Warranty Treated Plywood Decking

POPULAR OPTIONS

- Playpen Cover or Seat Covers
- Humminbird 197c Color Fish Finder
- Prospec Mini Stereo
- Infinity Stereo System
- Docking Lights
- LED Courtesy Light in Helm
- ½ Gate with Plug
- Vinyl Weave Flooring


2017 Specifications

Pontoon Length.....	15' 11"
Deck Size.....	7'6" x 15'2"
Overall Length.....	16' 10"
Length Inside Rails.....	9'0"
Overall Width.....	91"
Pontoon Diameter.....	23"
Pontoon Wall Thickness.....	.080"
Maximum Horsepower.....	50 HP
Maximum Weight Capacity.....	1,565 lbs.
Maximum Person Capacity.....	7/1,020 lbs.
Approximate Dry Weight.....	1,250 lbs.
Tube Center to Tube Center.....	67"
Inside of Tube to Inside of Tube.....	44"

Apex Marine

300 Woodside Drive Saint Louis MI 48880

www.qwestpontoons.com



2017 Specifications

Pontoon Length.....	15'11"
Deck Size.....	7'6" x 15'2"
Overall Length.....	16'10"
Length Inside Rails.....	11'1"
Overall Width.....	91"
Pontoon Diameter.....	23"
Pontoon Wall Thickness.....	.080"
Maximum Horsepower.....	50 HP
Maximum Weight Capacity.....	1,565 lbs.
Maximum Person Capacity.....	7/1,020 lbs.
Approximate Dry Weight.....	1,250 lbs.
Tube Center to Tube Center.....	.67"
Inside of Tube to Inside of Tube.....	.44"

7516 Outfitter

HELM

- Fiberglass Helm with Molded Kick Panel
- Deluxe 5-Switch Panel with Harness
- Stainless Steel Steering Wheel
- Windshield with Quick Release Hardware

INTERIOR


- Bucket Style Captains' Seat on Adjustable Sliding Pedestal
- Soft Touch X-Panded Back Vinyls

EXTERIOR

- Rigid Dent Resistant Panels
- 23" Diameter Pontoons with Full Length Keel
- 7.5' x 7' Bimini Top with Storage Boot
- Robust Aluminum Rear Entry Ladder
- LED Navigation Lights
- Mooring Cleats
- Durable Vinyl Floor
- Composite Rail Spacers
- Anodized Rails and Rub Rail
- Deluxe 3-D Style Graphics
- Quick Release Aluminum Bimini Hardware
- Bimini Fabric with 5 Year Warranty
- Deutsch Waterproof Wiring Connectors
- Heavy Duty Gate Latches and Pinch Protectors
- Lifetime Warranty Treated Plywood Decking

POPULAR OPTIONS

- Additional Fishing Seats with Pedestals
- Fiberglass LIVEWELL
- Humminbird 197c Color Fish Finder
- Starboard Side Gate
- ½ Gate with Plug



2017 Specifications

Pontoon Length.....	18'5"
Deck Size.....	7'6" x 17'2"
Overall Length.....	19'4"
Length Inside Rails.....	12'7"
Overall Width.....	91"
Pontoon Diameter.....	23"
Pontoon Wall Thickness.....	.080"
Maximum Horsepower.....	75 HP
Maximum Weight Capacity.....	1,825 lbs.
Maximum Person Capacity.....	8/1,116 lbs.
Approximate Dry Weight.....	1,450 lbs.
Tube Center to Tube Center.....	67"
Inside of Tube to Inside of Tube.....	44"

7518 CR

HELM

- Fiberglass Helm with Molded Kick Panel
- Deluxe 5-Switch Panel with Harness
- Stainless Steel Steering Wheel
- Windshield with Quick Release Hardware

INTERIOR


- 37" Front Bench Seats with Arms
- 51" Rear Port Bench
- Radius Corner Bench
- Bucket Style Captains' Seat on Adjustable Sliding Pedestal
- Soft Touch X-Panded Back Vinyls
- Plastic Seat Bases with Custom Floor Matting
- Round Table with Flush Mount Pedestal
- Ultra-Flow Seat Ventilation

EXTERIOR

- Rigid Dent Resistant Panels
- 23" Diameter Pontoons with Full Length Keel
- 7.5' x 7' Bimini Top with Storage Boot
- Robust Aluminum Rear Entry Ladder
- LED Navigation Lights
- Mooring Cleats
- Durable Vinyl Floor
- Composite Rail Spacers
- Anodized Rails and Rub Rail
- Deluxe 3-D Style Graphics
- Quick Release Aluminum Bimini Hardware
- Bimini Fabric with 5 Year Warranty
- Deutsch Waterproof Wiring Connectors
- Heavy Duty Gate Latches and Pinch Protectors
- Lifetime Warranty Treated Plywood Decking

POPULAR OPTIONS

- Playpen Cover or Seat Covers
- Prospec Mini Stereo
- Infinity Stereo System
- Docking Lights
- LED Courtesy Lights
- Vinyl Weave Flooring
- Extended Starboard Bench with Layback



2017 Specifications

Pontoon Length.....	18'5"
Deck Size.....	7'6" x 17'2"
Overall Length.....	19'4"
Length Inside Rails.....	11'1"
Overall Width.....	91"
Pontoon Diameter.....	23"
Pontoon Wall Thickness.....	.080"
Maximum Horsepower.....	75 HP
Maximum Weight Capacity.....	1,825 lbs.
Maximum Person Capacity.....	8/1,116 lbs.
Approximate Dry Weight.....	1,450 lbs.
Tube Center to Tube Center.....	67"
Inside of Tube to Inside of Tube.....	44"

7518 SC

HELM

- Fiberglass Helm with Molded Kick Panel
- Deluxe 5-Switch Panel with Harness
- Stainless Steel Steering Wheel
- Windshield with Quick Release Hardware

INTERIOR

- (2) Front Folding Fishing Seats with Removable Pedestals
- 31" Front Bench Seats with Arms
- LIVEWELL in Front Port Bench Seat Base
- 39" Rear Port Bench
- Radius Corner Bench
- Bucket Style Captains' Seat on Adjustable Sliding Pedestal
- Soft Touch X-Panded Back Vinyls
- Plastic Seat Bases with Custom Floor Matting
- Round Table with Flush Mount Pedestal
- Ultra-Flow Seat Ventilation

EXTERIOR


- Rigid Dent Resistant Panels
- 23" Diameter pontoons with Full Length Keel
- 7.5' x 7' Bimini Top with Storage Boot
- Robust Aluminum Rear Entry Ladder
- LED Navigation Lights
- Mooring Cleats
- Durable Vinyl Floor
- Composite Rail Spacers
- Anodized Rails and Rub Rail
- Deluxe 3-D Style Graphics
- Quick Release Aluminum Bimini Hardware
- Bimini Fabric with 5 Year Warranty
- Deutsch Waterproof Wiring Connectors
- Heavy Duty Gate Latches and Pinch Protectors
- Lifetime Warranty Treated Plywood Decking

POPULAR OPTIONS

- Playpen Cover or Seat Covers
- Humminbird 197c Color Fish Finder
- Prospec Mini Stereo
- Infinity Stereo System
- Docking Lights
- LED Courtesy Light in Helm
- ½ Gate with Plug
- Vinyl Weave Flooring
- Extended Starboard Bench with Layback

Apex Marine

300 Woodside Drive Saint Louis MI 48880
www.qwestpontoons.com



2017 Specifications

Pontoon Length.....	18'5"
Deck Size.....	7'6" x 17'2"
Overall Length.....	19'4"
Length Inside Rails.....	12'7"
Overall Width.....	91"
Pontoon Diameter.....	23"
Pontoon Wall Thickness.....	.080"
Maximum Horsepower.....	75 HP
Maximum Weight Capacity.....	1,825 lbs.
Maximum Person Capacity.....	8/1,116 lbs.
Approximate Dry Weight.....	1,450 lbs.
Tube Center to Tube Center.....	67"
Inside of Tube to Inside of Tube.....	44"

7518 SP

HELM

- Fiberglass Helm with Molded Kick Panel
- Deluxe 5-Switch Panel with Harness
- Stainless Steel Steering Wheel
- Windshield with Quick Release Hardware

INTERIOR

- (2) Front Folding Fishing Seats with Removable Pedestals
- Front Rod/Cup Holder Assemblies
- Fiberglass LIVEWELL with Cushioned Top
- 51" Rear Port Bench
- Radius Corner Bench
- Bucket Style Captains' Seat on Adjustable Sliding Pedestal
- Soft Touch X-Padded Back Vinyls
- Plastic Seat Bases with Custom Floor Matting
- Ultra-Flow Seat Ventilation

EXTERIOR

- Rigid Dent Resistant Panels
- 23" Diameter Pontoons with Full Length Keel
- 7.5' x 7' Bimini Top with Storage Boot
- Robust Aluminum Rear Entry Ladder
- LED Navigation Lights
- Mooring Cleats
- Durable Vinyl Floor
- Composite Rail Spacers
- Anodized Rails and Rub Rail
- Deluxe 3-D Style Graphics
- Quick Release Aluminum Bimini Hardware
- Bimini Fabric with 5 Year Warranty
- Deutsch Waterproof Wiring Connectors
- Heavy Duty Gate Latches and Pinch Protectors
- Lifetime Warranty Treated Plywood Decking

POPULAR OPTIONS

- Playpen Cover or Seat Covers
- Humminbird 197c Color Fish Finder
- Prospec Mini Stereo
- Docking Lights
- LED Courtesy Light in Helm
- ½ Gate with Plug
- Vinyl Weave Flooring